



caps&losures



C A T A L O G U E

2008

MANUFACTURER & INNOVATORS OF QUALITY PLASTIC COMPONENTS



Contents

Page

Company: **Caps & Closures Pty Ltd**
 ABN: 89 114 161 527
 ACN: 111 018 047

Registered Office &
 Business Address: **18 Avlona Street
 Mordialloc 3195**

Telephone: **+61 3 9587 0933**
 Facsimilie: **+61 3 9587 6576**

Email: **admin@capsandclosures.com.au**
 Web: **www.capsandclosures.com.au**













Contact Name: **Brendon Holmes**

REV: 01/02/08

20mm Ball Cap	2
20mm Short Skirt Cap	2
22mm Ball Cap	2
24mm Medium Skirt Cap	2
24mm Long Skirt Cap	2
28mm Short Skirt Cap	2
28mm Medium Skirt Cap	2
28mm Long Skirt Cap	2
28mm Long Skirt Cap	2
28mm Child Resistant Cap	2
28mm Sports Cap	2
28mm Detergent Caps	2
28mm Vented Cap	3
28mm Long Skirt Smooth Wall Cap	3
28mm Long Skirt Tamper Evident Cap	3
* 28mm Specialty Caps	3
38mm Short Skirt	3
38mm Medium Skirt	3
38mm Long Skirt	3
38mm Long Skirt	3
38mm Medium Skirt	3
38mm Vented Cap	3
38mm Snap On, Screw Off Cap	3
38mm Milk Cap	4
38mm Long Skirt Cap	4
* 38mm Long Skirt Cap	4
38mm 'Pop Top' Cap	4
38mm Child Resistant Cap	4
* 38mm Witches Cap	4
38mm Specialty Caps	4
44mm Bottle Cap	4
44mm Wide Brush Cap	4
46mm Can Cap	4
58mm Nail Dip Lid	4
63mm Short Skirt Cap	4
70mm Yoghurt Cap	5
* 55mm Child Resistant Dust Cover Cap	5
70mm Cover Cap	5
28mm Push On Flip Top Cap	5
Detergent Cap	5
* Applicator Cap	5
* Talc Cap	5
Dripper Insert	5
* Nasal Spray Cap	5
28mm Spray Nozzle	5
Flip It	5
TGC Cap	6
TGC Sports Cap & Plug	6
31.5mm CL Cap	6
Disc Cap	6














* MARKED CAPS ARE CUSTOM MOULDED, FOR MORE INFORMATION PLEASE CONTACT (03) 9587 0933

SAMPLES, NECK DRAWINGS AND DIMENSIONAL SPECIFICATIONS AVAILABLE UPON REQUEST

Description:	Wedge	Wadded	Wadded Seal	Skirt Length: Seal	Quantity: Options
 <p>20mm Ball Cap Suitable for cosmetics, bath and shower gels etc.</p>	• CODE: 2000	• CODE: 2001	Laminated	Approximately 26.0mm	2000
 <p>20mm Short Skirt Cap Smooth wall with matte finish, suitable for cosmetics</p>		• CODE: 20IMP	Laminated	Approximately 20.5mm	3500
 <p>22mm Ball Cap Suitable for cosmetics, bath and shower gels etc.</p>	• CODE: 2200	• CODE: 2001	Laminated	Approximately 27.0mm	2000
 <p>24mm Medium Skirt Cap 410 medium skirt smooth wall cap.</p>	• CODE: 2440	• CODE: 2441	Standard Cello Seal Pressure sensitive also available	Approximately 20.0mm	3000
 <p>24mm Long Skirt Cap 24mm 415 long skirt smooth wall cap.</p>	• CODE: 2460	• CODE: 2461	Standard Cello Seal Pressure sensitive also available	Approximately 20.0mm	2400
 <p>28mm Short Skirt Cap General purpose, compatible to almost any liquid. White in stock.</p>	• CODE: 2820	• CODE: 2821	Laminated Pressure sensitive, foil and induction seal also available	Approximately 13.2mm	3500
 <p>28mm Medium Skirt Cap General purpose, compatible to almost any liquid. White in stock.</p>	• CODE: 2840	• CODE: 2841	Laminated Pressure sensitive, foil and induction seal also available	Approximately 17.0mm	2500
 <p>28mm Long Skirt Cap General purpose, compatible to almost any liquid. Standard colours in stock.</p>	• CODE: 2860	• CODE: 2861	Laminated Pressure sensitive, foil and induction seal also available	Approximately 17.0mm	2400
 <p>28mm Long Skirt Cap Suits p.e.t. soft drink bottles, compatible to almost any liquid.</p>	• CODE: 2700	• CODE: 2701	Laminated Pressure sensitive, foil and induction seal also available	Approximately 19.0mm	2400
 <p>28mm Child Resistant Cap Two-part Child Resistant cap. T.G.A. Approved. Embossed with "push down & turn to open" and "Close Tightly" instructions ontop of cap. Neck details available upon request. Colour as pictured in stock.</p>	• CODE: 28CRC		Laminated Pressure sensitive, foil and induction seal also available	Approximately 16.3mm	2000
 <p>28mm Sports Cap 'Pop top' sports drink cap. Compatible with standard P.E.T. necks. Black in stock.</p>	• CODE: 2890	• CODE: 2891	Induction seal 'Lift n Peel' wadding available	Approximately 20.0mm	1500
 <p>28mm Detergent Caps 'Pop top' cap. Disperses small amounts of liquid suitable for detergents and other liquids. Material: Polypropylene/L.L.D.E.</p>	• Code: 28D		Pressure sensitive, and induction seal available	Approximately 17.0mm	1800

★ MARKED CAPS ARE CUSTOM MOULDED, FOR MORE INFORMATION PLEASE CONTACT (03) 9587 0933


SAMPLES, NECK DRAWINGS AND DIMENSIONAL SPECIFICATIONS AVAILABLE UPON REQUEST

Description:	Wedge	Wadded	Wadded Seal	Skirt Length: Seal	Quantity: Options
 <p>28mm Vented Cap Allows air to flow through cap without leaking liquid. Suitable for storing perming solutions, chlorine etc. Standard colours in stock.</p>	• Code: 2860V			Approximately 19.0mm	2400
 <p>28mm Long Skirt Smooth Wall Cap General purpose. suitable to most liquids. Standard colours in stock.</p>	• Code:2850	• Code:2851	Laminated Pressure sensitive, foil and induction seal also available	Approximately 18.6mm	2400
 <p>28mm Long Skirt Tamper Evident Cap Compatible with standard P.E.T. necks for non carbonated liquids.</p>	• Code: 2881	•	Laminated and induction seal 'Lift n Peel' wadding (pictured left) available for long life products.	Approximately 18.4mm	2750
 <p>Material: H.D.P.E.</p>	• Code: 2880				
 <p>28mm Specialty Caps Various customers of Caps and Closures have required variations of standard caps or tamper evident caps; such as holes, or brush stems etc. Caps and Closures, through modular tooling have been able to accommodate their needs with inexpensive solutions.</p>	Code:2864				
 <p>* or brush stems etc. Caps and Closures, through modular tooling have been able to accommodate their needs with inexpensive solutions.</p>	Code: 28 witches				1500
 <p>38mm Short Skirt Small knurl cap. General purpose, compatible with almost any liquid</p>	• Code: 3820	• Code: 3821	Laminated Pressure sensitive, foil and induction seal also available	Approximately 12.6mm	2000
 <p>38mm Medium Skirt Juice Style Cap. Material: H.D.P.E. Standard Colours.</p>	• Code: 3830	• Code: 3831	Laminated Pressure sensitive, foil and induction seal also available	Approx. 16.3mm inc. Tamper Ring 10.5mm exc. Tamper Ring	1750
 <p>38mm Long Skirt Tamper evident, general purpose, often used for Chemical goods and poisons. Material:</p>	• Code: 3854	• Code: 3853	Laminated Pressure sensitive, foil and induction seal also available	Approx. 18.5mm inc. Tamper Ring 14.5mm exc. Tamper Ring	1300
 <p>38mm Long Skirt Ratchet style knurl cap. General purpose, compatible with almost any liquid.</p>	• Code: 3860	• Code: 3861	Laminated Pressure sensitive, foil and induction seal also available	Approximately 18.5mm	1300
 <p>38mm Medium Skirt Small knurl cap. General purpose, compatible with almost any liquid.</p>	• Code: 3840	• Code: 3841	Laminated Pressure sensitive, foil and induction seal	Approximately 17.4mm	1500
 <p>38mm Vented Cap Ratchet style knurl, vented cap. Allows airflow through cap without dispersing liquid. Suitable for storing chemicals such as, chlorine or perming solutions.</p>	• Code: 3860V			Approximately 18.7mm	1300
 <p>38mm Snap On, Screw Off Cap Tamper evident, general purpose food style cap.</p>	• Code: 38SS			Approx. 16.4mm inc. Tamper Ring	1750


* MARKED CAPS ARE CUSTOM MOULDED, FOR MORE INFORMATION PLEASE CONTACT (03) 9587 0933
SAMPLES, NECK DRAWINGS AND DIMENSIONAL SPECIFICATIONS AVAILABLE UPON REQUEST

Description:	Wedge	Wadded	Wadded Seal	Skirt Length: Seal	Quantity: Options
 <p>38mm Milk Cap Tamper evident milk cap. General purpose, food style cap.</p>	• Code: 38SK			Approx. 14.5mm inc T.E. Ring Approx. ???mm exc. T.E. Ring	2750
 <p>* 38mm Long Skirt Cap Small knurl cap. General purpose.</p>	• Code: 3860S	• Code: 3861S	Laminated Pressure sensitive, foil and induction seal also available	Approximately 19.0mm	1300
 <p>38mm Long Skirt Cap Heavy duty cap. General purpose.</p>	BARODA	• Code: B.P. Cap	Laminated Pressure sensitive, foil and induction seal also available	Approximately 20.0mm	1100
 <p>38mm 'Pop Top' Cap Tamper evident drinking cap.</p>	• Code: 3890		Laminated Pressure sensitive, foil and induction seal also available	Approximately 16.2mm inc T.E. Ring	1100
 <p>38mm Child Resistant Cap Two-part Child Resistant Cap. TGA approved. Embossed with "Open push down & turn" and "Close Tightly" instructions on top of cap.</p>	• Code: ?????	• Code: 38CRC	Laminated Pressure sensitive, foil and induction seal also available	Approximately 17mm	1300
 <p>* 38mm Witches Cap Suitable for dispersing small quantities of liquids such as glue.</p>	• Code: 38 Witches			Approximately 18.4mm	1000
 <p>38mm Specialty Caps Various customers of Caps and Closures have required variations of standard caps or tamper evident caps, such as holes, or brush stems etc. Caps and Closures, through modular tooling have been able to accommodate their needs with inexpensive solutions.</p>	Code: 3862A				1300
	Code: 3870				1300
 <p>44mm Bottle Cap Cap with brush fit.</p>	• Code: 4430TT			Approximately 14.0mm	1100
 <p>44mm Wide Brush Cap Cap with wider brush fit. General purpose, compatible with almost any liquid</p>	• Code: 44WB			Approximately 14.2mm	1100
 <p>46mm Can Cap Wedge sealed metal can cap used mostly in chemical industry.</p>	• Code: 44CAN Code: 44H		Laminated Pressure sensitive, foil and induction seal also available	Approximately 16.4mm	1100
 <p>58mm Nail Dip Lid Plain or wadded cap. Suitable for the cosmetic industry.</p>	NDL	•		Approximately 17.0mm	1000
 <p>63mm Short Skirt Cap Short skirt wadded cap. Suitable for the food and beverage industry.</p>		• Code: 63STAM	Foil Wad	Approximately 2.1mm	450

* MARKED CAPS ARE CUSTOM MOULDED, FOR MORE INFORMATION PLEASE CONTACT (03) 9587 0933
SAMPLES, NECK DRAWINGS AND DIMENSIONAL SPECIFICATIONS AVAILABLE UPON REQUEST

Description:	Wedge	Wadded	Wadded Seal	Skirt Length: Seal	Quantity: Options
 <p>70mm Yoghurt Cap Tamper Evident 'Push on Peel off' cap suits dairy or powder products.</p>				Approximately 14.6mm incl T.E. Ring	550
 <p>★ 55mm Child Resistant Dust Cover Cap "Squeeze sides and Turn" Child resistant Cap</p>	• Code: 303900			Approximately 27.8mm	300
 <p>70mm Cover Cap 'Push on Peel off' cover cap. Suitable for powder products.</p>				Approximately 13.8mm incl T.E. Ring	600
 <p>28mm Push On Flip Top Cap "Push on Flip Top" Cap</p>	• Code: 28POFT			Approximately 16.0mm	1400
 <p>Detergent Cap Snap on two part detergent cap with pourer and measure.</p>					200
 <p>★ Applicator Cap Applicator Cap for click on hose fittings.</p>					700
 <p>★ Talc Cap Snap on Talc cap</p>					2000
 <p>Dripper Insert Snap on Talc cap</p>					6000
 <p>★ Nasal Spray Cap NC</p>					2000
 <p>28mm Spray Nozzle</p>					TBA
 <p>Flip It W/S T/E</p>	• Code: 2866				1250
 <p>Flip It T/E</p>		• Code: 2867	Lift & Peel		1250
 <p>Flip It Straight Wall</p>		• Code: 2868	Induction Seal Foil		1250

★ MARKED CAPS ARE CUSTOM MOULDED, FOR MORE INFORMATION PLEASE CONTACT (03) 9587 0933
SAMPLES, NECK DRAWINGS AND DIMENSIONAL SPECIFICATIONS AVAILABLE UPON REQUEST

Description:	Wedge	Wadded	Wadded Seal	Skirt Length: Seal	Quantity: Options
 TGC Cap	• TGC				2000
 TGC Sports Cap & Plug	315CL				5000
 31.5mm CL CAP	• 315CL				2000
 Disc Cap Smooth Wall	• Code: 28410				1000
 Disc Cap Smooth Wall	• Code: 28415				1000
 Disc Cap Fine Knurl	• Code: 28415				1000
 Disc Cap Fine Knurl	• Code: 24410				1000

**CAPS AND CLOSURES PTY LTD**

PO Box 5313 Mordialloc 3195
 Ph: 03 95870933 Fax: 03 95876576
 ABN 89 114 161 527

CUSTOMER NAME: _____

Company: Yes/No ABN: Partnership: Yes/No

Sole Trader: Yes/No Commenced Trading: Premises: Owned/Rented

Purchasing Officer: Phone: Fax:

Postal Address: _____

Street Address: _____

Please list: Name, Address and Phone No. Of Three Business Referees

1. _____

Phone: Fax:

2. _____

Phone: Fax:

3. _____

Phone: Fax:

1 PAYMENT IS REQUIRED IN FULL WITHIN 30 DAYS OF INVOICE DATE.

- 1.1 Cheques tendered shall not constitute payment until cleared.
- 1.2 Caps & Closures (the company) will not be liable for loss and damage occasioned by delay in delivery howsoever caused.
- 1.3 The Company retains title to goods and services supplied to the customer until all amounts owing by the customer to the Company are paid in full.

2 ACCOUNTS IN EXCESS OF 30 DAYS OF INVOICE DATE MAY-

- 2.1 Incur interest from the due date at the National Australia Bank reference rate plus 2%.
- 2.2 Be placed in the hands of our collection agency.
- 2.3 Upon exceeding an established credit limit, all further sales will be on a CASH ONLY basis until the account is completely paid up to date.
- 2.4 All invoice/quality queries must be directed to the Company within 10 working days of receipt.

3 WARRANTIES AND LIABILITY

- 3.1 It is the Customer's responsibility to ensure that the goods are suitable for the purpose intended by the Customer. Every effort is made to ensure all goods are suitable for the intended application but no warranty is given in respect therefore and the Company shall not be liable for any error therein.
- 3.2 Any advice regarding the use of the goods given by employees, agents or servants of the Company is given in good faith but no warranty is expressed or implied as to the correctness or accuracy of the same.
- 3.3 The Company shall not be liable for any loss (including loss of profit), injury damage or expense (direct or indirect, consequential or otherwise) incurred or suffered by the Customer or any third party.
 - 3.3.1 Due to any failure by a Customer or any third party to fit or use the goods in accordance with the company's written recommendations and instructions, or
 - 3.3.2 Due to the suitability of the goods for the particular purpose for which they are used or where specific goods are supplied at the specific direction of the Customer or any third party when such Customer or third party has not first consulted the Company or has ignored its recommendations or instructions.
- 3.4 The liability of the Company in relation to any defect or fault in the goods, which may become apparent, shall be limited to the replacement of the goods or the supply of equivalent goods.
- 3.5 This clause does not apply to limit any liability implied by law if the exclusion, Restriction or modification would render this clause valid.

4 JURISDICTION

- 4.1 The laws of the State of Victoria shall govern this contract. The parties agree to submit any dispute arising out of this contract to the exclusive jurisdiction of the courts of the State of Victoria.

The information provided on this application is correct and all terms and conditions have been read and agreed to.

Signature: _____ Date: _____

Name: _____ Position: _____